


MENU GUIDE

Beta Build 16 v.3.1.2.




MENU GUIDE

Beta Build 16 v.3.1.2.

SYSTEM

MONITOR



SYSTEM

SETUP

PREFERENCES

Keymap

- Side Record
- User-1
- User-2
- User-3
- User-4

- Magnify
- Auto WB
- Color
- Meter
- Zebra 1
- Zebra 2
- + Volume 1

- Volume 1
- + Volume 2
- Volume 2
- + ISO
- ISO
- + Shutter
- Shutter

GPIO

- Input A
- Input B
- Polarity

- Record
- Burst
- Ramp

- GPIO IN 1
 - ACTIVE_LO
 - ACTIVE_HI
- GPIO IN 2
 - ACTIVE_LO
 - ACTIVE_HI
- GPIO OUT 1
 - ACTIVE_LO
 - ACTIVE_HI
- GPIO OUT 2
 - ACTIVE_LO
 - ACTIVE_HI

- Shutter
 - Degrees
 - 1/SEC

- Playback
 - 720p
 - 1080p

MAINTENANCE

- FAN
 - Auto
 - Variable
 - Hot
 - Standard
 - Quiet
 - Silent

- BLK SHADING
 - Start
 - Restore

- Restore
 - System
 - LOOK
 - User
 - Restore

Update SW

Set Clock

- Date
 - Year
 - Month
 - Day
- Time
 - Hour
 - Minute
 - Second

Set Clock

- Pre-Record
 - 10 sec
 - 30 sec

MENU GUIDE
Beta Build 16 v.3.1.2.

MENU GUIDE

Beta Build 16 v.3.1.2.

VIDEO

VIEW

RAW

REC 709

REDspace

VIDEO

LOOK

Clear

Import

None Available

User Specific

Export

Color

Saturation

0 - 2.0

Exposure

-2.0 - 4.0

Brightness

-10.0 - 10.0

Contrast

-1.0 - 1.0

Gain

Master

0.0 - 4.0

Red Gain

0.0 - 4.0

Blue Gain

0.0 - 4.0

Green Gain

0.0 - 4.0

Tone

Curve

Define

Black

Knee

Toe

White

Center

X

0 - 100

Y

0 - 100

VIEWFINDER

Color

Monochrome

False Color

Edge Highlight

Meters

Meter

Spot Meter

RGB Hist

Luma Hist

Mono Hist

Assists

Waveform

Focus Assist

RGB Parade

Focus Overlay

Zebras

Configure 1

LO IRE

75 - 103

HI IRE

93 - 108

Enable 1

Configure 2

LO IRE

0 - 84

HI IRE

5 - 93

Enable 2

Dark Detail

0 - 50%

Open Gate

AUDIO

Channel 1

20 - 54dB

Channel 2

20 - 54dB

Channel 3

20 - 54dB

Channel 4

20 - 54dB

HEADPHONE

Master Volume

-18 - 0dB

Volume-Left

-12 - 6dB

Volume-Right

-12 - 6dB

Mix

1L + 2R

3L + 4R

Quad Mix

MENU GUIDE

Beta Build 16 v.3.1.2.

SENSOR

SENSITIVITY

Sensitivity

ASA 100	ASA 500
ASA 125	ASA 640
ASA 160	ASA 800
ASA 200	ASA 1000
ASA 250	ASA 1280
ASA 320	ASA 1600
ASA 400	ASA 2000

COLOR TEMP

Auto WB

Tungsten

Daylight

Manual WB

1500 - 10000°K

Tint

-25 - 25

SHUTTER

Genlock

Mode

Normal

Syncro

Relative

Speed

1/24 sec	1/48 sec	1/125 sec	1/500 sec
1/25 sec	1/50 sec	1/192 sec	1/696 sec
1/30 sec	1/60 sec	1/200 sec	1/800 sec
1/32 sec	1/96 sec	1/250 sec	1/1000 sec
1/33 sec	1/100 sec	1/384 sec	1/1200 sec
1/40 sec	1/120 sec	1/400 sec	1/2000 sec

Syncro

10 - 90

Phase

-45° - 45°

VARISPEED

Varispeed

Ramp

On-Record

On-Event

Framerate

2K: 1 - 120fps
3K: 1 - 60fps
4K: 1 - 30fps

Time

1 - 100 sec

End Rate

2K: 1 - 120fps
3K: 1 - 60fps
4K: 1 - 30fps

TIMELAPSE

Enable

Interval

One-Shot

Speed

1 sec	1/16 sec	1/48 sec	1/125 sec	1/500 sec
1/2 sec	1/24 sec	1/50 sec	1/192 sec	1/696 sec
1/3 sec	1/25 sec	1/60 sec	1/200 sec	1/800 sec
1/4 sec	1/30 sec	1/96 sec	1/250 sec	1/1000 sec
1/6 sec	1/32 sec	1/100 sec	1/384 sec	1/1200 sec
1/8 sec	1/33 sec	1/120 sec	1/400 sec	1/2000 sec
1/12 sec	1/40 sec			

Step Print

1 - 10 frames

Interval

1 sec	8 sec	256 sec
2 sec	16 sec	512 sec
3 sec	32 sec	1024 sec
4 sec	64 sec	
5 sec	128 sec	

Burst Type

Repeated

Unique