



# VIDEO




SENSITIVITY		ISO 100	ISO 500	
		ISO 125	ISO 640	
		ISO 160	ISO 800	
		ISO 200	ISO 1000	
		ISO 250	ISO 1280	
		ISO 320	ISO 1600	
		ISO 400	ISO 2000	
	COLOR TEMP	Auto WB		
Tungsten				
Daylight				
Manual WB		1500 - 10000°K		
Tint		-25 - 25		
SHUTTER	<input checked="" type="checkbox"/> Genlock			
	Mode	Normal		
		Syncro		
		Relative		
	Speed	1 sec 1/12 sec 1/33 sec 1/100 sec 1/384 sec 1/800 sec 1/2 sec 1/16 sec 1/40 sec 1/120 sec 1/400 sec 1/1000 sec 1/3 sec 1/24 sec 1/48 sec 1/125 sec 1/500 sec 1/1200 sec 1/4 sec 1/25 sec 1/50 sec 1/192 sec 1/696 sec 1/2000 sec 1/6 sec 1/30 sec 1/60 sec 1/200 sec 1/8 sec 1/32 sec 1/96 sec 1/250 sec		
	Syncro	10 - 90		
	Phase	-45° - 45°		
	VARISPEED	<input checked="" type="checkbox"/> Varispeed		
Ramp		On-Record		
		On-Event		
Framerate		2K: 1 - 120fps 3K: 1 - 60fps 4K: 1 - 30fps	depending on Project Settings	
Time		1 - 100 sec		
End Rate		2K: 1 - 120fps 3K: 1 - 60fps 4K: 1 - 30fps	depending on Project Settings	
TIMELAPSE	<input checked="" type="checkbox"/> Enable	Interval		
		One-Shot		
	Speed	1/2 sec 1/24 sec 1/48 sec 1/125 sec 1/500 sec 1/3 sec 1/25 sec 1/50 sec 1/192 sec 1/696 sec 1/4 sec 1/30 sec 1/60 sec 1/200 sec 1/800 sec 1/6 sec 1/32 sec 1/96 sec 1/250 sec 1/1000 sec 1/8 sec 1/33 sec 1/100 sec 1/384 sec 1/1200 sec 1/12 sec 1/40 sec 1/120 sec 1/400 sec 1/2000 sec 1/16 sec		
	Step Print	1 - 10 frames		
	Interval	1 sec 8 sec 256 sec 2 sec 16 sec 512 sec 3 sec 32 sec 1024 sec 4 sec 64 sec 5 sec 128 sec		
	Burst Type	Repeated		
		Unique		



# SYSTEM 1 / 3





## SETUP

### PREFERENCES

